L Number	Hite	Search Text	DB	Time stamp
3	2	("6526424").PN.	USPAT;	2004/01/08 12:49
3	_	(0320424) .124.	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	:
			IBM TDB	
4	1099	(709/(203, 220, 221, 223,224).ccls.) and	USPAT;	2004/01/08 12:54
*		((URL or address) set\$3) same (URL\$1! with	US-PGPUB:	
		(time or schedule or period) with configur\$3	EPO; JPO;	
		or execut\$3 with browser)	DERWENT;	
		62 6.000 00,7 2.000 00.00 2.000 00.00	IBM TDB	
5	6	(709/(203,220,221,223,224)).ccls. and ((URL	USPAT;	2004/01/08 12:55
		or address) with set\$3) same (URL\$1! with	US-PGPUB;	·
		(time or schedule or period) with	EPO; JPO;	
		(configur\$3 or execut\$3) with browser)	DERWENT;	
	į		IBM_TDB	
6	4	((709/(203,220,221,223,224)).ccls. and ((URL	USPAT;	2004/01/08 12:56
		or address) with set\$3) same (URL\$1! with	US-PGPUB;	
	•	(time or schedule or period) with	EPO; JPO;	
		(configur\$3 or execut\$3) with browser)) and	DERWENT;	
		@ad<20000802	IBM_TDB	
7	1	setting near4 URL\$1! adj5 (start\$3 or	USPAT;	2004/01/08 12:59
		begin\$4 or configur\$3 or trigger\$3) near5	US-PGPUB;	
		browser with (automatic\$5 or dynamic\$5)	EPO; JPO;	
		near4 (execut\$3 or configur\$3 or enabl\$3 or	DERWENT;	
		activat\$3)	IBM_TDB	
8	1	setting near4 URL\$1! with (start\$3 or	USPAT;	2004/01/08 12:59
		begin\$4 or configur\$3 or trigger\$3) with	US-PGPUB;	
		browser with (automatic\$5 or dynamic\$5)	EPO; JPO;	
		near4 (execut\$3 or configur\$3 or enabl\$3 or	DERWENT;	
	_	activat\$3)	IBM_TDB	
9] 1	setting near4 URL\$1! with (start\$3 or	USPAT;	2004/01/08 12:59
		begin\$4 or configur\$3 or trigger\$3) same	US-PGPUB;	
		browser with (automatic\$5 or dynamic\$5)	EPO; JPO;	
		near4 (execut\$3 or configur\$3 or enabl\$3 or	DERWENT; IBM TDB	
	_	activat\$3)	USPAT;	2003/07/08 13:42
-	5	configur\$5 with (browser adj setting)	US-PGPUB;	2003/07/00 13:42
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	105	configur\$5 with (browser with setting)	USPAT;	2003/07/08 13:42
	103	001111301140 111111 (0101001 1111111 000011113/	US-PGPUB;	, ,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	42	(configur\$5 with (browser with setting)) and	USPAT;	2003/07/08 13:47
		@ad<20000802	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(time-based adj browser adj configur\$5) and	USPAT;	2003/07/08 13:48
		@ad<20000802	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2		USPAT;	2003/07/08 13:57
		browser near2 (configur\$5 or reconfigur\$5))	US-PGPUB;	
		and @ad<20000802	EPO; JPO;	
			DERWENT;	
	_	1,1,1	IBM_TDB	2002/07/00 15 15
-	61	((time or period\$6 or schedul\$3 or	USPAT;	2003/07/08 15:46
		automatic\$4) near3 (configur\$5 or	US-PGPUB;	
		reconfigur\$5) with browser) and @ad<20000802	EPO; JPO;	
			DERWENT;	
		//hima an namiadee an achadules an dant with	IBM_TDB USPAT;	2003/07/08 16:30
-	169	((time or period\$6 or schedul\$3 or day) with	US-PGPUB;	2003/07/00 10:30
		set\$4 with browser) and @ad<20000802	EPO; JPO;	
			DERWENT;	
			IBM TDB	
<u></u>	l		מתד ויותד	L

				, <u>,</u>
	56	(time or period\$6 or schedul\$3) near6 browser near3 (configur\$5 or reconfigur\$5 or	USPAT; US-PGPUB;	2004/01/07 11:07
		set\$4) and @ad<20000802	EPO; JPO; DERWENT; IBM TDB	
_	662	(configur\$5 or reconfigur\$5 or set\$4) near4 (page\$1! or site or address or url) with	USPAT; US-PGPUB;	2004/01/07 11:11
		display\$2 with (time or range or period) and @ad<20000802	EPO; JPO; DERWENT;	
-	0	(configur\$5 or reconfigur\$5 or set\$4) near4	IBM_TDB USPAT; US-PGPUB;	2004/01/07 11:10
		(page\$1! or site or address or url) with display\$2 with (time or range or period) same (browser adj setting) and @ad<20000802	EPO; JPO; DERWENT; IBM TDB	
-	0	(configur\$5 or reconfigur\$5 or set\$4) near4 (page\$1! or site or address or url) with	USPAT; US-PGPUB;	2004/01/07 11:10
		display\$2 with (time or range or period) same (browser adj set\$4) and @ad<20000802	EPO; JPO; DERWENT; IBM_TDB	
-	0	(configur\$5 or reconfigur\$5 or set\$4) near4 (page\$1! or site or address or url) with	USPAT; US-PGPUB;	2004/01/07 11:10
		display\$2 with (time or range or period) and (browser adj set\$4) and @ad<20000802	EPO; JPO; DERWENT; IBM TDB	
-	323135	browser with (automatic\$4 or dynamical\$4) with display\$3 (predetermin\$3 adj (time or	USPAT; US-PGPUB;	2004/01/07 11:13
		schedule or period or range))	EPO; JPO; DERWENT; IBM_TDB	
-	3	browser near4 (automatic\$4 or dynamical\$4) with display\$3 with (predetermin\$3 adj	USPAT; US-PGPUB;	2004/01/07 13:35
		(time or schedule or period or range))	EPO; JPO; DERWENT;	
-	2004	(browser near3 set\$4) nerr5 (present\$3 or display\$3) near4 (page\$!! or site or	IBM_TDB USPAT; US-PGPUB;	2004/01/07 13:36
		document or URL) with (predetermin\$3 adj (time or schedule or period or range))	EPO; JPO; DERWENT; IBM TDB	
-	1	display\$3) near4 (page\$!! or site or	USPAT; US-PGPUB;	2004/01/07 13:37
		document or URL) with (predetermin\$3 adj (time or schedule or period or range))	EPO; JPO; DERWENT; IBM TDB	
-	3	(browser near3 set\$4) near5 (present\$3 or display\$3) near4 (page\$!! or site or	USPAT; US-PGPUB;	2004/01/07 13:39
		document or URL) with ((time or schedule or period or range))	EPO; JPO; DERWENT; IBM TDB	
-	40	(browser near3 set\$4) near5 (present\$3 or display\$3) near4 (page\$!! or site or	USPAT; US-PGPUB;	2004/01/07 13:43
		document or URL)	EPO; JPO; DERWENT; IBM TDB	
-	18	display\$3) near4 (page\$!! or site or	USPAT; US-PGPUB;	2004/01/08 12:41
		document or URL)) and @ad<20000802	EPO; JPO; DERWENT; IBM TDB	
-	1959115	((set\$3 or configur\$3) near4 browser\$1! with (automatic\$5 or dynamic\$5) nea3 (display\$3	USPAT; US-PGPUB;	2004/01/07 13:50
		or present\$3)) and @ad<20000802	EPO; JPO; DERWENT; IBM TDB	
-	4	((set\$3 or configur\$3) near4 browser\$1! with (automatic\$5 or dynamic\$5) near3 (display\$3	USPAT; US-PGPUB;	2004/01/07 13:52
		or present\$3)) and @ad<20000802	EPO; JPO; DERWENT;	
L	L		IBM_TDB	

_	5	((automatic\$5 or dynamic\$5) near3 (display\$3	USPAT;	2004/01/07 14:02
		or present\$3) near4 bookmark) and	US-PGPUB;	
		@ad<20000802	EPO; JPO;	
	İ		DERWENT;	
			IBM_TDB	
_	28	"browser settings" and @ad<20000802	USPAT;	2004/01/07 14:18
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	0	browser near3 set\$4 near4 schedul\$3 and	USPAT;	2004/01/07 14:18
		@ad<20000802	US-PGPUB;	1
			EPO; JPO;	1
			DERWENT;	
			IBM TDB	
_	2	browser near3 set\$4 with (schedul\$3 or	USPAT;	2004/01/07 14:19
		(time adj bas\$4)) and @ad<20000802	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	2	("6313835").PN.	USPAT;	2004/01/08 10:26
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	721056	(homepage or (home adj page)) adj network	USPAT;	2004/01/08 10:27
		ajd address\$2	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	6	(homepage or (home adj page)) adj network	USPAT;	2004/01/08 10:27
		adj address\$2	US-PGPUB;]
			EPO; JPO;	
			DERWENT;	
			IBM TDB	